## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10927	(database or db or dbms) same range same (modification or change or transaction or update)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/23 11:38
L2	1	range with version\$3 and shadow with copy and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L3	10	"5805899".pn. "6439783".pn. "6449705".pn. "6516320".pn. "6665864".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L4	5	"5805899".pn. "6439783".pn. "6449705".pn. "6516320".pn. "6665864".pn.	USPAT	OR	ON	2007/01/23 11:38
، <b>L</b> 5	365	(database or db or dbms) same range with (modification or change or transaction or update) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON :	2007/01/23 11:38
L6	216	(database or db or dbms) with range with (modification or change or transaction or update) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L7	246271	(database or db or dbms) and range and (modification or change or transaction or update)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38

## **EAST Search History**

			·			
L8	55	(database or db or dbms) same range with version\$3 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L9	161	(database or db or dbms) with range with (modification transaction or update) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L10 .	97	range adj4 version\$3 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L11	19	(database or db or dbms) same range adj4 version\$3 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L12	78	range adj4 version\$3 and "707".clas. not L11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L13	8	(database or db or dbms) with range with (modification transaction or update) same version\$3 and "707". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L14	1	("5805899".pn. "6439783".pn. "6449705".pn. "6516320".pn. "6665864".pn.) and range same version	USPAT	OR	ON	2007/01/23 11:38
L15	0	("5805899".pn. "6439783".pn. "6449705".pn. "6516320".pn. "6665864".pn.) and shadow	USPAT	OR	ON	2007/01/23 11:38

## **EAST Search History**

L16	3	("5805899".pn. "6439783".pn. "6449705".pn. "6516320".pn. "6665864".pn.) and copy	USPAT	OR	ON	2007/01/23 11:38
L17	28912	range with (id or rid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L18	588	range with (id or rid) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L19	. 38	range with (id or rid) same version and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L20	29	range with rid and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L21	24	range with rid and "707".clas. not L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:38
L22	. 1	(US-5706510-\$ or US-6584459-\$ or US-6957236-\$).did. and xml	USPAT	OR	OFF	2007/01/23 11:38
L23	3	(US-5706510-\$ or US-6584459-\$ or US-6957236-\$).did.	USPAT	OR	OFF	2007/01/23 11:38